
## Quadratics - Unit Test


## Identify the choice that best answers the question.

- Which of the following represents a quadratic function opening downwards?
- (A)  $y = 3x^2(x-1)$  (B) y = 3x(x-1) (C)  $y = -3x^2(x-1)$  (D)y = -3x(x-1)
- 2 What is the domain and range of the quadratic function graphed?



- (A) Domain:  $\{x | -1 \le x \le 3 ; x \in R\}$  Range:  $\{x | y \ge -8 ; y \in R\}$
- (B) Domain:  $\{x \mid -1 \le x \le 3 ; x \in R\}$  Range:  $\{x \mid y \le -8 ; y \in R\}$
- (C) Domain:  $\{x \mid x \in R\}$  Range:  $\{x \mid y \le -8 ; y \in R\}$ (D) Domain:  $\{x \mid x \in R\}$  Range:  $\{x \mid y \ge -8 ; y \in R\}$
- 3. Which represents the quadratic function y = -2(x + 1)(x 3) in standard form?

  - (A)  $y = -2x^2 + 6$  (B)  $y = -2x^2 + 4x 6$  (C)  $y = -2x^2 + 4x 6$  (D)  $y = -2x^2 + 4x + 6$
- Which statement is correct for the function graphed below?



- (A) There is a maximum value of 3.
- (B) There is a maximum value of 2.
- (C) There is a minimum value of 3.
- (D) There is a minimum value of 2.
- 5. Which of the quadratic functions has the narrowest graph?

$$\mathbf{A} \quad y = -3x^2$$

**B** 
$$y = \frac{1}{7}x^2$$

**A** 
$$y = -3x^2$$
 **B**  $y = \frac{1}{7}x^2$  **C**  $y = \frac{1}{3}x^2$  **D**  $y = -4x^2$ 

$$\mathbf{D} \quad y = -4x^2$$

- The path of a marshmallow launched from a slingshot can be described by the equation  $f(x) = -x^2 + 4x + 5$ , where f(x) is the height of the marshmallow and x is the number of seconds that have passed since the slingshot's band was released. Which of the following points shows the extremum for the function?
  - a. (0, 5)

c. (0, -1)

b. (2, 9)

- d. (4, 5)
- 7. The field hockey team is hosting a battle of the bands to raise money for new equipment. In the past, the profit from the battle of the bands could be modeled by the function P(x) = -20(x 20)(x 10), where x represents the ticket price in dollars. What is a reasonable domain for this function?
  - a.  $-10 \le x \le 20$

c.  $10 \le x \le 20$ 

b.  $-20 \le x \le -10$ 

- d.  $-20 \le x \le 10$
- $\Im$  What is the average rate of change of the function  $f(x) = 6x^2 + 12x 4$  between x = -1 and x = 1?
  - a. 12

c. 4

b. 24

- d. -12
- The dimensions of a community garden are such that the length is 6 feet shorter than 3 times its width. What expression describes the area of the community garden in terms of its width, w?
  - a. (w+3)(w+6) ft<sup>2</sup>

c. 3w(w-6) ft<sup>2</sup>

b. w(6w - 3) ft<sup>2</sup>


- d. w(3w 6) ft<sup>2</sup>
- D. If the vertex of f(x) is (3, -5), what is the vertex of f(x + 3)?
  - a. (3, -8)

c. (3, -2)

b. (6, -5)

- d. (0, -5)
- 1). If the transformation of  $f(k \cdot x)$  is applied to f(x), with 0 < k < 1, which is true about the graph of the function?
  - a. The graph of the original function is compressed horizontally by a factor of  $\frac{1}{k}$ .
  - b. The graph of the original function is stretched horizontally by a factor of  $\frac{1}{k}$ .
  - c. The graph of the original function is stretched vertically by a factor of k.
  - d. The graph of the original function is compressed vertically by a factor of k.

[3] Identify the vertex of the graph. Tell whether it is a minimum or maximum.



A (0, 0); maximum

C (0, 1); minimum

B (0, 1); maximum

- **D** (0, 0); minimum
- 13. A ball is thrown into the air with an upward velocity of 48 ft/s. Its height h in feet after t seconds is given by the function  $h = -16t^2 + 48t + 8$ . In how many seconds does the ball reach its maximum height? Round to the nearest hundredth if necessary. What is the ball's maximum height?
- A 1.5 s; 44 ft B 3 s; 8 ft C 1.5 s; 116 ft D 1.5 s; 56 ft
- 14. Write a function that represents the parent function,  $y=x^2$ , after it has been translated 3 up and 2 right.
  - A  $y=(x-3)^2+2$


C  $y=(x+3)^2-2$ D  $y=(x+2)^2-3$ 

B  $y=(x-2)^2+3$ 


- 15. A rocket is shot into the air with an initial velocity of 800 m/sec. The equation  $h = -16t^2 + 1440t$  models the height of the ball. How long does it take for the rocket to hit the ground (h=0)?
  - (a)16 seconds
- (b)800 seconds
- (c) 90 seconds (d)1440 seconds

If an object is dropped from a height of 39 feet, the function  $h(t) = -16t^2 + 39$  gives the height of the object after t seconds. Graph the function.


A




 $\mathbf{C}$ 



В




D



A ball was shot upward by a machine that was several feet above the ground with an initial speed of 64 feet per second. The height of the ball at any given time can be represented as

$$f(x) = -16x^2 + 64x + 8.$$

The graph to the right represents this function. For which of these times is the rate of change positive?




- A. between 0 and 2 seconds
- B. only at 2 seconds
- C. between 2 and 4 seconds
- D. only after 4 seconds
- 18. What does the y-intercept represent in this situation?
  - A. the time it takes the ball to reach the ground, 8 seconds.
  - B. the maximum height of the ball reaches in the air, 8 seconds
  - C. the height from which the ball is shot upward, 8 feet
  - D. the speed of the ball, 8 feet per second.

## Constructed Response. Show all work in space provided.

- An object is launched and follows the path expressed by the function  $h(t) = -16t^2 + 16t + 32$  where h is the height at t seconds.
  - A. Find the height, in feet, of the object at 1 second after it is launched. Explain how you determined your answer.
  - B. How long will it take before the object hits the ground?
- QD. You are a manager at a manufacturing company, and are trying to determine the pricing for a new product. Two different consultants come up with profit prediction functions for different prices. Consultant A's predictions are summarized in the table. Consultant B's predictions are summarized in the graph.

<b>x</b>	P(x)
16	0
20	3,200
24	5,120
28	5,760
32	5,120
36	3,200



- a. The ideal sale price is the price that maximizes the profit. Which function has a higher ideal sale price?
- b. Which function predicts a higher maximum profit?
- c. What does the domain represent in the context of the problem? What is a reasonable domain for each function?
- d. What does the range represent in the context of the problem? What is a reasonable range for each function?